	L#	Hits	Search Text	DBs
1	L1	1	("5693564").PN.	USPAT; USOCR
2	L2	0	1 and ion\$	USPAT; USOCR
3	L3	1	("5186718").PN.	USPAT; USOCR
4	L4	1	("6177350").PN.	USPAT; USOCR
5	L5	0	4 and (normal or perpendicular)	USPAT; USOCR
6	L6	0	4 and insulati\$3	USPAT; USOCR
7	L7 _. .	46	204/192.25 and ("silicon dioxide" with insulati\$5)	USPAT; USOCR
8	L8	20	204/192.22 and ("silicon dioxide" with insulati\$5)	USPAT; USOCR
9	L9	16	8 not 7	USPAT; USOCR
10	L10	333	("204/298.25").CCLS.	USPAT; USOCR
11	L11	0	10 and (imp or (ion\$ adj metal adj plasma))	USPAT; USOCR
12	L12	0	10 and (imp or (metal adj plasma))	USPAT; USOCR
13	L13	13	(("4970176") or ("5108570") or ("5108951") or ("5270255") or ("5288665") or ("5378660") or ("5371042") or ("5378660") or ("5443995") or ("5600182") or ("5665659") or ("5693564") or ("5731245")).PN.	USPAT; USOCR
14	L14	0	13 and imp	USPAT; USOCR
15	L15	0	13 and (metal adj plasma)	USPAT; USOCR
16	L16	4	13 and wet\$4	USPAT; USOCR
17	L17	4	(("5882399") or ("5985759") or ("6139699") or ("6156645")).PN.	USPAT; USOCR
18	L19	2	18 and (imp with ti)	USPAT; USOCR

	L #	Hits	Search Text	DBs
19	L20	2	17 and (imp with ti)	USPAT; USOCR
20	L18	4	17 and imp	USPAT; USOCR
21	L21	16994	silicon with dielectric	USPAT; USOCR
22	L22	44717	"silicon dioxide"	USPAT; USOCR
23	L23	8091	21 not 22	USPAT; USOCR
24	L24	32	23 and (multilayer adj interconnect)	USPAT; USOCR
25	L25	1	("5378660").PN.	USPAT; USOCR
26	L26	0	25 and (dielectric or "silicon dioxide" or "sio.sub.2")	USPAT; USOCR
27	L27	649	(("204/192.22") or ("204/192.25")).CCLS.	USPAT; USOCR
28	L28	336	27 and (dielectric or "silicon dioxide" or "sio.sub.2")	USPAT; USOCR
29	L29	57	28 and wet\$4	USPAT; USOCR
30	L30	1	29 and imp	USPAT; USOCR
31	L31	56		USPAT; USOCR
32	L32	5	"sio.sub.2")	USPAT; USOCR
33	L33		("204/192.25")).CCLS.	USPAT; USOCR
34	L34	434	33 and (dielectric or "silicon dioxide" or "sio.sub.2")	USPAT; USOCR
35	L35	353	34 not wet\$4	USPAT; USOCR
36	L36	81	34 not 35	USPAT; USOCR
37	L37	0	25 and reflow	USPAT; USOCR
38	L38	0	25 and reflow\$	USPAT; USOCR
39	L39	1	25 and flow\$	USPAT; USOCR

	L #	Hits	Search Text	DBs
40	L40	125	ti with wetting	USPAT; USOCR
41	L41	15734	al with cold	USPAT; USOCR
42	L42	4294	aluminum with cold	USPAT; USOCR
43	L43	4	40 same (41 or 42)	USPAT; USOCR
44	L44	62	40 same (al or aluminum)	USPAT; USOCR
45	L45	16	"sio.sub.2")	USPAT; USOCR
46	L46	1905	(ti or titanium) same wet\$4 same (al or aluminum)	USPAT; USOCR
47	L47	4	46 and 204/298.25	USPAT; USOCR
48	L48	22	46 and 204/192.17	USPAT; USOCR
49	L49	20	48 not 47	USPAT; USOCR
50	L50	5	46 and 204/192.22	USPAT; USOCR
51	L51	9	46 and 204/192.25	USPAT; USOCR
52	L52	10	"5504403" ·	USPAT; USOCR
53	L53	29	"5378660"	USPAT; USOCR
54	L54	39	52 or 53	USPAT; USOCR
55	L55	1.0	"5504043"	USPAT; USOCR
56	L56	34	53 or 55	USPAT; USOCR
57	L57	14	56 and wet\$4	USPAT; USOCR